



***SUIT TOWER OR MOBILE STEEL SCAFFOLD*****DESIGN:**

Ullrich Aluminium 'Z' Stairs has been designed and manufactured to comply with Australian Standard AS1657-1992.

The lightweight aluminium sections can easily be erected and dismantled without the aid of special tools. Our 'Z' Stair is located within the scaffold perimeter thus enabling Quick & Safe Access.

**FEATURES:**

- Light Weight and Simple to Erect.
- Non Slip Treads and Platform.
- All Welded Construction.
- Removable Handrails.
- Removable Landing Handrail.
- Extension for Easy Side Access.

**SIZE:**


LENGTH = 2415 mm  
WIDTH = 560 mm  
HEIGHT = 1550 mm

**WEIGHT:**

STAIRS = 35 Kg  
HANDRAIL = 6 Kg  
EXTENSION H/R = 4 Kg

**Note:**

- Suitable for tower Scaffold (2500 mm x 1350 mm) with angle type putlog. Special designs for other Scaffold - on application.



**NOTE:**

- Contact Your nearest Ullrich Aluminium sales centre for details





Phone for your nearest  
**ULLRICH ALUMINIUM SALES CENTRE**

**AUSTRALIA - 1300 650 075**

**NEW ZEALAND - 0800 500 338**

- ALUMINIUM EXTRUSIONS
- ROLLED PRODUCTS
- FASTENINGS
- LADDERS
- SCAFFOLDS
- ULLTRACLAD CLADDING
- WINTEC WINDOWS & DOORS
- BUILDING PRODUCTS
- DECORATIVE METALS
- TEKNA MACHINERY

**Map key:**

- + MANUFACTURING
- SALES & DISTRIBUTION
- \* EXTRUSION PLANT

Representative and franchised operations throughout the South Pacific

ULLRICH ALUMINIUM PTY LTD  
 PO Box 2182 Smithfield NSW 2164  
 185-187 Woodpark Rd Smithfield Australia  
 Tel +61 2 8787 7400 Fax +61 2 9725 2784  
 ullrich@ullrich.com.au www.ullrich.com.au

ULLRICH ALUMINIUM CO LTD  
 PO Box 98 843 SAMC  
 Manukau City 2240 New Zealand  
 Tel +64 9 262 6262 Fax +64 9 262 6265  
 alkalum@uacl.co.nz www.ullrich-aluminium.co.nz