




DIE No.	A	B	C	D	RI	R2	R3	kg/m	P
<b>HALF ROUND</b>									
<b>UA 1443</b>	12.50	4.50	CONCAVE					0.104	29
<b>UA 1444</b>	16.00	4.50	CONCAVE					0.119	36
<b>UA 1445</b>	19.00	4.50	CONCAVE					0.113	42
<b>UA 1446</b>	25.50	4.50	CONCAVE					0.149	54
<b>UA 1447</b>	32.00	6.00	CONCAVE					0.275	68
<b>UA 1448</b>	38.00	6.00	CONCAVE					0.325	79
<b>UA 1449</b>	51.00	6.00	FLAT					0.578	105



<b>COPE MOULD</b>									
<b>UA 1501</b>	18.50	18.50						0.181	68
<b>UA 1500</b>	23.80	8.26						0.149	59
<b>UA 1499</b>	34.43	14.53						0.346	88



<b>ZED</b>									
<b>AUS 8169</b>	11.50	21.50	36.00	1.50	B LEG 2.00			0.294	134
<b>UA 1221</b>	16.00	20.00	25.00	1.60				0.251	119
<b>UA 2983</b>	18.50	20.00	15.00	1.50	B LEG 2.75			0.267	104
<b>UA 6725</b>	19.00	19.00	25.40	2.00		3.00		0.327	118
<b>UA 1222</b>	20.00	20.00	25.00	3.00				0.480	124
<b>AUS 8109</b>	20.00	21.60	25.50	1.60				0.276	131
<b>AUS 10135</b>	21.00	31.75	40.00	2.00				0.479	181
<b>UA 1639</b>	25.00	19.00	17.00	1.60				0.250	118
<b>UA 1223</b>	25.00	25.00	30.00	3.00				0.602	154
<b>UA 1487</b>	31.80	31.80	152.40	3.00				1.701	426
<b>UA 5813</b>	40.00	48.00	55.00	6.00				2.122	273



<b>I BEAM</b>									
<b>UA 1196</b>	40.00	40.00	3.00	3.00				0.927	234
<b>UA 1195</b>	45.00	50.00	2.50	2.50				0.915	275
<b>UA 1493</b>	69.90	102.00	3.43	5.54	+2.96 LIP	3.00		3.083	490
<b>AUS 10016</b>	80.00	117.90	6.00	8.00	1.00	2.50		5.117	537
<b>AUS 8817</b>	100.00	107.00	6.00	6.00		6.00		4.861	590
<b>UA 4389</b>	100.00	150.00	7.10	9.50		11.10		7.926	665

R = Radiused corner



DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED, DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.  
**OAD** = OVERALL DIMENSIONS  
**P** = EXT PERIPHERY

© ULLRICH ALUMINIUM CO LTD