

DIE No	DESCRIPTION	DIE No	DESCRIPTION
UA 1393	BUS WINDOW - BOTTOM	AUS 8600	RUNNING BOARD STEP
UA 1395	BUS WINDOW - TOP	AUS 8644	SIDE BOARD
UA 1396	CANT RAIL	AUS 8816	TRUCK ANGLE
UA 1397	EASYDEK SIDE CAP	AUS 8848	MOUNTING BLOCK
UA 1398	EASYDEK COAMING RAIL	AUS 8849	FRAME WALL
UA 1399	EASYDEK FLOORING	AUS 8850	FRAME SECTION
UA 1400	SIDE RAIL	AUS 10015	TRUCK DECK
UA 1402	PLANK	AUS 10283	CORNER CANT RAIL
UA 1403	PLANK	AUS 10369	DECK MIDDLE PLANK
UA 1404	ROLLER SHUTTER	AUS 10370	DECK STARTER PLANK
UA 1405	HOLLOW PLANK	AUS 10371	REAR COAMING
UA 1486	COAMING RAIL	AUS 10372	SIDE COAMING
UA 1494	TRAY SIDE CAP		
UA 1509	CANT RAIL		
UA 1510	SCALLOP PLANK		
UA 1511	CANT RAIL		
UA 1573	ROLLER GLIDE CHANNEL		
UA 1581	TRUCK SIDE BOARD		
UA 1583	CANT RAIL		
UA 1584	TRUCK SIDE RAIL		
UA 2424	SHUTTER CONNECTOR		
UA 2426	ROLLER SHUTTER		
UA 2463	CHANNEL		
UA 2741	CANT RAIL		
UA 3328	COAMING RAIL		
UA 3493	DECKING		
AUS 4141	DECKING		
UA 4394	CHASSIS RUNNER CAP		
UA 4395	CHASSIS RUNNER		
UA 4626	GRATE Punched		
UA 4711	TOP HAT		
UA 5006	COAMING RAIL		
UA 5183	SIDE BOARD		
AUS 5250	TRUCK FLAP RUNNER		
UA 5275	SUB FRAME		
UA 5814	TIPPER SUB FRAME		
UA 5972	BUS SECTION		
UA 6034	BUS SECTION		
UA 6153	SIDE RAIL		
AUS 6244	RUB RAIL		
UA 6388	SIDE RAIL		
UA 6567	SIDE RAIL		
UA 6611	DECKING		
UA 6784	P-SECTION		
UA 6892	CHANNEL		

DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED. DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY
 © ULLRICH ALUMINIUM CO LTD



UA 1398

EASYDEK COAMING RAIL
 kg/m 1.243 P 250
 OAD 63 x 33.5 fits 1399

UA 1400

SIDE RAIL
 kg/m 1.670 P 490
 OAD 102 x 61

UA 1486

COAMING RAIL
 kg/m 2.432 P 419
 OAD 98.3 x 60.3

UA 3328


COAMING RAIL
 kg/m 1.811 P 452
 OAD 98 x 65

UA 3493

DECKING
 kg/m 1.667 P 491
 OAD 130 x 66.5

UA 6611

DECKING
 kg/m 1.971 P 611
 OAD 229.2 x 26



DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED. DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY

© ULLRICH ALUMINIUM CO LTD

UA 4626



UA 1399



UA 1405



UA 1397

EASYDEK SIDE CAP
kg/m 0.521 P 169
OAD 45 x 22

UA 1399

EASYDEK FLOORING
kg/m 1.621 P 581
OAD 179.5 x 28.5

UA 1405

HOLLOW PLANK
kg/m 1.409 P 268
OAD 93 x 25.5

UA 4626

GRATE Punched
kg/m 2.788 P 840
OAD 228.6 x 26

UA 1397



DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED.
DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY
© ULLRICH ALUMINIUM CO LTD



UA 1494

TRAY SIDE CAP
kg/m 1.202 P 287
OAD 34.93 x 63.5

UA 1581

TRUCK SIDE BOARD
kg/m 2.172 P 647
OAD 225 x 25

UA 1584

TRUCK SIDE RAIL
kg/m 1.521 P 455
OAD 136 x 50

AUS 5250

TRUCK FLAP RUNNER
kg/m 2.066 P 435
OAD 75.1 x 50.5

AUS 6244

RUB RAIL
kg/m 1.440 P 405
OAD 145.2 x 14

AUS 6244**UA 1584****UA 1581****UA 1494****AUS 5250**

DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED. DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.

OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY

© ULLRICH ALUMINIUM CO LTD

UA 1510



UA 5183



UA 1402



UA 1403



UA 1402

PLANK
kg/m 2.060 P 678
OAD 226 x 22

UA 1403

PLANK
kg/m 1.530 P 572
OAD 229.5 x 12.5

UA 1510

SCALLOP PLANK
kg/m 1.409 P 421
OAD 190.5 x 9.53

UA 5183

SIDE BOARD
kg/m 2.461 P 732
OAD 250 x 33

UA 6567



UA 6567

SIDE RAIL
kg/m 0.860 P 163
OAD 75 x 15

DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED. DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY
© ULLRICH ALUMINIUM CO LTD



UA 1396

CANT RAIL
 kg/m 1.966 P 558
 OAD 152.5 x 79.4
 Cast Corner UC1396

UA 1509

CANT with Drip Rail
 kg/m 2.401 P 646
 OAD 153.97 x 136.62

UA 1511

CANT RAIL
 kg/m 0.629 P 208
 OAD 73.28 x 56.55

UA 1583

CANT with Drip Rail
 kg/m 1.615 P 479
 OAD 109.33 x 90

UA 2741


CANT RAIL
 kg/m 1.806 P 451
 OAD 106 x 106

UA 6388

SIDE RAIL
 kg/m 1.022 P 243
 OAD 101.43 x 45.34

AUS 8816


TRUCK ANGLE
 kg/m 1.567 P 393
 OAD 100 x 100



DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED, DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY

© ULLRICH ALUMINIUM CO LTD

UA 1395




UA 1404



UA 2424




UA 1393



UA 2426



UA 1573



**PLASTIC ROLLER
DOOR GLIDE**
Code: TRAROLLDORGL



Fits 1404
Each end of every second shutter
Minimum inside radius bend of 150mm

UA 1393

BUS WINDOW Bottom
kg/m 0.457 P 175
OAD 34.5 x 28

UA 1395

BUS WINDOW Top
kg/m 0.387 P 144
OAD 26 x 22

UA 1404

ROLLER SHUTTER
kg/m 0.394 P 162
OAD 58.85 x 11.3

UA 1573

ROLLER GLIDE CHANNEL
kg/m 0.273 P 148
OAD 25 x 25

UA 2424

SHUTTER CONNECTOR
kg/m 0.334 P 134
OAD 27.44 x 16.5

UA 2426

ROLLER SHUTTER
kg/m 0.966 P 274
OAD 88 x 17.5

UA 5972

BUS SECTION
kg/m 1.774 P 382
OAD 102 x 50.6


UA 6034

BUS SECTION
kg/m 1.462 P 247
OAD 84.2 x 40


UA 6784

P-SECTION
kg/m 1.062 P 169
OAD 60 x 30

UA 6034



UA 5972



UA 6784




DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED.
DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY
© ULLRICH ALUMINIUM CO LTD



UA 2463
CHANNEL
kg/m 3.056 P 336
OAD 100 x 50

UA 5006
COAMING RAIL
kg/m 7.173 P 914
OAD 215.9 x 119.4

UA 5275
SUB FRAME
kg/m 13.851 P 807
OAD 232.6 x 152.4



DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED. DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.

OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY

© ULLRICH ALUMINIUM CO LTD

UA 6153

UA 4394

CHASSIS RUNNER CAP
kg/m 4.599 P 349
OAD 90 x 50

UA 4395

CHASSIS RUNNER
kg/m 6.132 P 473
OAD 130 x 110

UA 6153

SIDE RAIL
kg/m 3.318 P 445
OAD 125 x 125

UA 4711

TOP HAT
kg/m 1.389 P 366
OAD 140 x 34.9

UA 4394

UA 4395

UA 4711

DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED.
DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY




© ULLRICH ALUMINIUM CO LTD

UA 5814

TIPPER SUB FRAME
 kg/m 9.596 P 555
 OAD 179 x 106


UA 6892

CHANNEL
 kg/m 3.777 P 544
 OAD 100 x 75



DIAGRAMS ACTUAL SIZE UNLESS
 OTHERWISE INDICATED.
 DIAGRAMS ARE SCHEMATIC ONLY
 AND NOT INTENDED AS
 SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY

© ULLRICH ALUMINIUM CO LTD



AUS 8644

AUS 8600

RUNNING BOARD STEP
kg/m 3,067 P 1109
OAD 250 x 50

AUS 8644

SIDE BOARD
kg/m 1,894 P 437
OAD 170 x 11

AUS 8848

MOUNTING BLOCK
kg/m 0,996 P 85
OAD 28 x 16

AUS 8849

FRAME WALL
kg/m 2,142 P 224
OAD 81,5 x 35

AUS 8850

FRAME SECTION
kg/m 4,568 P 431
OAD 91 x 85

DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED.
DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY



© ULLRICH ALUMINIUM CO LTD

AUS I0369

DECK MIDDLE PLANK
kg/m 1.936 P 636
OAD 192.85 x 40

AUS I0370


DECK STARTER PLANK
kg/m 1.789 P 607
OAD 154.45 x 70.8

AUS I0371

REAR COAMING
kg/m 1.120 P 274
OAD 69 x 39

AUS I0372


SIDE COAMING
kg/m 1.603 P 329
OAD 101 x 31.25



DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED.
DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY

© ULLRICH ALUMINIUM CO LTD

AUS 10283



AUS 4141

DECKING

kg/m 1.617 P 571

OAD 171.6 x 32

AUS 10015

TRUCK DECK

kg/m 1.645 P 478


OAD 145 x 66.5

AUS 10283

CORNER CANT RAIL

kg/m 2.315 P 454

OAD 118.9 x 118.9



DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED. DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.

OAD = OVERALL DIMENSIONS

P = EXT PERIPHERY

© ULLRICH ALUMINIUM CO LTD



