

DIE No	DESCRIPTION	DIE No	DESCRIPTION
UA 1474	JOINTER	UA 6877	ANGLE
UA 1502	CHANNEL	UA 6878	CHANNEL
UA 1503	CHANNEL	UA 6879	DOOR FRAME
UA 1504	CHANNEL	UA 6880	DOOR FRAME
UA 1505	CHANNEL	UA 7172	COVING
UA 1506	CHANNEL		
UA 1512	COVING		
UA 1517	INTERNAL ANGLE		
UA 1518	EXTERNAL ANGLE		
UA 1523	CHANNEL		
UA 1915	SCOTIA		
UA 1948	INTERNAL ANGLE		
UA 1993	SLIDING DOOR CHANNEL		
UA 1994	SLIDING DOOR CHANNEL		
UA 2166	CHANNEL CAP		
UA 2491	COVING		
UA 2526	CHANNEL		
UA 2527	EXTERNAL ANGLE		
UA 2563	COVING		
UA 2622	CHANNEL		
UA 2675	EXTERNAL ANGLE		
UA 2728	CHANNEL		
UA 2799	CHANNEL		
UA 2800	CHANNEL		
UA 2801	CHANNEL		
UA 2895	CHANNEL		
UA 3204	100mm DOOR REBATED		
UA 3205	DOOR CHANNEL		
UA 3229	50mm DOOR REBATED		
UA 3230	75mm DOOR REBATED		
UA 3714	DOOR CHANNEL		
UA 3812	CHANNEL		
UA 3830	EXTERNAL ANGLE		
UA 3836	CHANNEL		
UA 3837	CHANNEL		
UA 3838	CHANNEL		
UA 4254	CHANNEL		
UA 4255	CHANNEL		
AUS 5895	CHANNEL		
AUS 5896	CHANNEL		
AUS 5897	CHANNEL		
AUS 5898	CHANNEL		
AUS 5899	COVING		
AUS 5900	CHANNEL		
UA 5938	ANGLE		
AUS 6435	COLD ROOM		
AUS 6457	RUB RAIL		
AUS 6460	CHANNEL		
AUS 6616	PREFAB INT CORNER		
AUS 6617	CHANNEL		
AUS 6620	PREFAB DOOR CHANNEL		
AUS 6622	PREFAB DOOR STOP		
AUS 6663	PREFAB DOOR FRAME		
AUS 6829	COLD ROOM		

DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED.
 DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY
 © ULLRICH ALUMINIUM CO LTD



UA 1502

CHANNEL
kg/m 0.541 P 253
OAD 53.2 x 45 x 1.6

UA 1503

CHANNEL
kg/m 0.650 P 303
OAD 78.2 x 45 x 1.6

UA 1504

CHANNEL
kg/m 0.758 P 353
OAD 103.2 x 45 x 1.6

UA 2622

CHANNEL
kg/m 0.769 P 358
OAD 105.7 x 45 x 1.6

UA 2799

CHANNEL
kg/m 0.509 P 254
OAD 54 x 45 x 1.5

UA 2800

CHANNEL
kg/m 0.610 P 304
OAD 79 x 45 x 1.5

UA 2801

CHANNEL
kg/m 0.712 P 354
OAD 104 x 45 x 1.5

UA 4254





CHANNEL
kg/m 0.545 P 206
OAD 55 x 25 x 2.0

UA 4255


CHANNEL
kg/m 1.295 P 326
OAD 106 x 30 x 3.0

UA 6878


CHANNEL
kg/m 0.399 P 207
OAD 55 x 25 x 1.45

UA 2622**UA 1504****UA 4255****UA 2801**


DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED.
DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY
© ULLRICH ALUMINIUM CO LTD



UA 1518



UA 1517



UA 2527

UA 1948

UA 1474

JOINTER
kg/m 0.235 P 142
OAD 35 x 10.5

UA 1512

COVING
kg/m 1.119 P 312
OAD 93 x 93

UA 1517

INTERNAL ANGLE
kg/m 0.425 P 197
OAD 50 x 50

UA 1518

EXTERNAL ANGLE
kg/m 0.431 P 199
OAD 50 x 50

UA 1915

SCOTIA
kg/m 0.643 P 266
OAD 60.5 x 48

UA 1948

INTERNAL ANGLE
kg/m 0.314 P 155
OAD 40 x 40

UA 2491

COVING
kg/m 0.940 P 344
OAD 91.5 x 91.5

UA 2527

EXTERNAL ANGLE
kg/m 0.326 P 161
OAD 40 x 40

UA 2563

COVING
kg/m 0.274 P 127
OAD 37.95 x 37.95

UA 2675

EXTERNAL ANGLE
kg/m 0.510 P 239
OAD 70 x 50

UA 3830

EXTERNAL ANGLE
kg/m 0.516 P 220
OAD 70 x 40

UA 7172

COVING
kg/m 0.804 P 259
OAD 73.5 x 73.5

DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED. DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS. OAD = OVERALL DIMENSIONS P = EXT PERIPHERY © ULLRICH ALUMINIUM CO LTD



UA 1505
CHANNEL
kg/m 0.411 P 192
OAD 48.2 x 25 x 1.6

UA 1506
CHANNEL
kg/m 1.164 P 331
OAD 118.4 x 25

UA 1523
CHANNEL
kg/m 1.549 P 429
OAD 168 x 25


UA 1993
SLIDING DOOR CHANNEL
kg/m 2.507 P 452
OAD 97 x 50

UA 1994
SLIDING DOOR CHANNEL
kg/m 1.123 P 340
OAD 75 x 55.3


UA 2526
CHANNEL
kg/m 0.938 P 279
OAD 92.2 x 25.4

UA 2728
CHANNEL
kg/m 0.616 P 203
OAD 54.8 x 25

UA 3714
DOOR CHANNEL
kg/m 1.045 P 314
OAD 110 x 25



DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED. DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY
© ULLRICH ALUMINIUM CO LTD



INFILLS SOLD SEPARATELY

UA 2166
CHANNEL CAP
kg/m 0.467 P 229
OAD 46.5 x 40

UA 2895
CHANNEL
kg/m 0.495 P 215
OAD 53 x 28

UA 3836
CHANNEL
kg/m 1.600 P 430
OAD 168.5 x 25

UA 3837
CHANNEL
kg/m 1.191 P 330
OAD 118.7 x 25

UA 3838
CHANNEL
kg/m 0.991 P 280
OAD 93.4 x 25

UA 5938
ANGLE
kg/m 0.468 P 220
OAD 70 x 40

UA 6877
ANGLE
kg/m 0.291 P 152
OAD 38 x 38

UA 6879
DOOR FRAME
kg/m 0.882 P 298
OAD 66 x 47.3 Infill 40404

UA 6880
DOOR FRAME
kg/m 1.002 P 324
OAD 80.3 x 47.3 Infill 40404

DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED. DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY
© ULLRICH ALUMINIUM CO LTD



UA 3812

CHANNEL
kg/m 0.361 P 205
OAD 54 x 24.9

AUS 5895

CHANNEL
kg/m 0.755 P 354
OAD 103 x 38

AUS 5896

CHANNEL
kg/m 0.647 P 304
OAD 78 x 38

AUS 5897

CHANNEL
kg/m 0.976 P 277
OAD 92.1 x 25.4

AUS 5898

CHANNEL
kg/m 1.634 P 430
OAD 168.3 x 25.4

AUS 5899

COVING
kg/m 0.255 P 121
OAD 35 x 35

AUS 5900

CHANNEL
kg/m 0.325 P 204
OAD 53.2 x 25

AUS 6457


RUB RAIL
kg/m 0.692 P 320
OAD 112 x 18.6

AUS 6460


CHANNEL
kg/m 0.506 P 229
OAD 55.8 x 30

AUS 6617

CHANNEL
kg/m 0.538 P 252
OAD 78.2 x 25




DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED. DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY
© ULLRICH ALUMINIUM CO LTD



UA 3205

UA 3204
100mm DOOR REBATED
kg/m 1.406 P 445
OAD 105.8 x 52 Infill 9101


UA 3205
DOOR CHANNEL
kg/m 0.429 P 199
OAD 54 x 24




UA 3229

UA 3229
50mm DOOR REBATED
kg/m 0.851 P 276
OAD 63 x 52 Infill 9101

UA 3230
75mm DOOR REBATED
kg/m 1.240 P 394
OAD 80.8 x 52 Infill 9101



UA 3230



UA 3204


INFILLS SOLD SEPARATELY

DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED. DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY
© ULLRICH ALUMINIUM CO LTD




AUS 6616

PREFAB INT CORNER
kg/m 0.276 P 160
OAD 41.85 x 41.85

**AUS 6620****AUS 6620**

PREFAB DOOR CHANNEL
kg/m 0.440 P 220
OAD 53 x 38

**AUS 6622**


PREFAB DOOR STOP
kg/m 0.552 P 261
OAD 53.2 x 47.5

AUS 6622**AUS 6663**

PREFAB DOOR FRAME
kg/m 0.537 P 251
OAD 53.5 x 37

AUS 6663**AUS 6435**

COLD ROOM
kg/m 1.446 P 422
OAD 112.3 x 70

**AUS 6829**

COLD ROOM
kg/m 1.607 P 253
OAD 90 x 16

AUS 6829

DIAGRAMS ACTUAL SIZE UNLESS OTHERWISE INDICATED.
DIAGRAMS ARE SCHEMATIC ONLY AND NOT INTENDED AS SPECIFICATION DRAWINGS.
OAD = OVERALL DIMENSIONS
P = EXT PERIPHERY
© ULLRICH ALUMINIUM CO LTD